



# AlluGuard

style, security, innovation...

Welcome to your  
guide to the very  
best insulated  
roller garage doors

New! Control  
options &  
Smart control

New! Custom  
coloured  
doors!



Secured by Design




Police Preferred Specification

What's important  
when it comes to  
choosing a new  
door?



Read on... or watch online at:  
[www.thegaragedoorchannel.co.uk](http://www.thegaragedoorchannel.co.uk)





# AlluGuard

style, security, innovation...

<b>Security</b>	page 8
<b>Insulation</b>	page 10
<b>Convenience</b>	page 12
<b>Colours</b>	page 14
<b>Remote Control</b>	page 20
<b>AlluGuard 77 Features</b>	page 24
<b>AlluGuard 55 Features</b>	page 26
<b>Accessories</b>	page 28
<b>Dimensions</b>	page 34



## Trusted and quality assured

AlluGuard is totally focussed on you. Choosing a product for your home as important as a garage door is not something you do very often. Perhaps only once or twice in a lifetime!

To purchase with confidence requires a company you can trust - a quality assured company.

AlluGuard's reputation is built on quality and we are independently certified to prove that our quality management systems are industry acknowledged! Our products are designed to give you the ultimate in performance ensuring that you'll be happy to recommend AlluGuard.

Safety always comes first at AlluGuard. All our products carry a CE mark and have been independently tested for safe operation and compliance with legislation to EN 13241-1.

**Secured by Design**



Police Preferred Specification




**Buy with confidence!**



# Insulated Roller Garage Doors





AlluGuard 77

AlluGuard 55

No other door  
is quite like an  
AlluGuard door!

# Insulated Roller Garage Doors

Insulated roller garage doors are wonderfully simple in everyday use thanks to smart technology. Over the coming pages, we'll introduce the clever features on AlluGuard insulated roller garage doors, but by way of introduction, here are the highlights:

How easy is that!

## They open at the touch of a button



Smart controls ensure safe and effortless opening every time.

## They are Police Approved



for security. Protect valuable items stored in your garage with our independently tested Secured by Design door, the AlluGuard77.



## They take up less space



than any other garage door, rolling up into a compact space with no tracks projecting into the garage.

## They make extra space



by fitting behind the opening, giving you a wider and taller opening. This increases drive-through width by up to 150mm (6") and drive-through height by up to 75mm (3"). Vertical opening means the door doesn't project out onto your drive or into the garage space, allowing you to park up to the door inside and out.

## They help keep out the weather



so your garage is no longer a draughty no-go area.

Read on... or watch online at:  
[www.thegaragedoorchannel.co.uk](http://www.thegaragedoorchannel.co.uk)



Everything works at just the touch of a button these days!



### They look simply stunning



The gentle curve and the subtle lines of each slat are finished in a tough polyester powder coating or a high grade laminate to create an overall look that is classic and contemporary in equal measure.

### They are covered by fair warranties



AlluGuard roller doors are covered by a comprehensive warranty of two and five years - see the back page for full details.



### They are quality assured & safe



Every door is manufactured to our ISO 9001 certified quality systems and CE certified and marked as safe to Directive EN 13241-1.

### AlluGuard 77 & AlluGuard 55 -

#### What's the difference?

Similar features only smaller! AlluGuard 55 uses a smaller slat than the AlluGuard 77 that allows it to roll tighter requiring less space at the top of the door. It's the ideal choice when headroom is especially limited.



**AlluGuard 77**

**AlluGuard 55**



# Security



## Security Matters


Bikes, fitness equipment, tools... Whatever you keep in your garage in addition to your car, it's always a surprise when you add up the value - often several thousand pounds! To keep your possessions secure, look for the Secured by Design symbol - the only form of national Police accreditation for security - you'll find it on our AlluGuard 77 garage door.

## Secured by Design

The AlluGuard77 is designed to be secure and has been awarded the Secured by Design Police Preferred Specification status. To achieve Secured by Design, doors are independently tested and certified to the standard, giving you peace of mind that your new garage door is secure to a Police approved standard. The AlluGuard55, whilst built for strength, is not available with Secured by Design status.

## Alarmed

The door control unit for AlluGuard 77 and 55 doors employs sensors on the bottom of the door to monitor the door's position when locked. If an attempt is made to lever the bottom of the door upwards, a piercing alarm is triggered to deter intruders. (The sensor and alarm is optional on selected control units - see pages 29-33).




The locking rings that hold the door curtain in the closed position and pulls the door curtain upwards, is a huge improvement over the conventional method other manufacturers use.



Heavy duty extruded aluminium guides secure the door at the sides.



The extruded aluminium bottom slat adds extra strength to resist forcing. See page 15 for notes on colours.



Remote control means there's no external lock to pick or attack.

## What is Secured by Design?

Secured by Design (SBD) is the UK Police flagship initiative that is founded on the principles of designing out crime and crime prevention.

SBD supports one of the Government's key planning objectives: the creation of secure, quality places where people wish to live and work.

Research carried out by Huddersfield University shows that residents living on Secured by Design Developments are half as likely to be burgled and two and a half times less likely to suffer vehicle crime. Secured by Design Developments also benefit from 25% less criminal damage.

## Secured by Design



Police Preferred Specification

We store a lot of stuff in our garage, so the extra security of AlluGuard's roller door was first on the list for us !



U Value:  
5.2W/m<sup>2</sup>K

# Insulation



Fully Insulated & Finished to Perfection

AlluGuard is designed to give thermal and acoustic insulating properties much higher than the average garage door.

'CFC' Free Polyurethane Foam within the Aluminium Lath plus high performance weather sealing ensures good insulation.

It's perfect if you want to use your garage as a work/play room or your garage is under a bedroom.

The corrosion resistant aluminium laths are light yet strong and can be finished in a range of solid colours or woodgrain textures - see pages 14-19.



77

55

### Surface finish detail

Polyester powder coated or high grade laminate top coat

Chromated  
Phosphated  
Aluminium



Brush strips reduce draughts and the bottom seal keeps out wind blown debris.



Bedrooms over your garage? Help keep the chills out with insulated lath and advanced weather sealing.



Keeping my home warm is top on my list of priorities!



Home gym? Why not!




Being able to park right up is a huge benefit to me!



Doors can be fitted externally if headroom is very limited inside the garage. The roll box will be visible and the concave face of the door slats faces outwards. Please note the finish warranty of the exposed face on doors fitted this way is 2 years.

# Convenience



## No wasted space

Roller garage doors operate vertically, rolling into a compact coil within the garage, above the opening. Not only does this mean you can park right up to the garage door, but valuable space is not taken up inside your garage which could be used for storage.

## Takes up less space

Because it rolls 'tighter' than other roller doors, AlluGuard takes up less headroom when open - just 300mm for the AlluGuard 77 and even less for AlluGuard55 at 205mm.

The door typically sits behind the brickwork, allowing any existing frame to be removed. This increases drive-through width by up to 150mm (6") and drive-through height by up to 75mm (3").

This, and its very compact side runners, gives you much more room to manoeuvre.

Doors can even be fitted externally where headroom is extremely limited.

## Good looks inside and out

The outside of the door is simply stunning, the inside equally impressive. Whether you choose a powdercoated door with matching guides and box or a laminated door with White, Mocca Brown or Black guides and box, the installation is incredibly neat and compact - no wasted space inside your garage!



The neat inside is made even tidier with the option of a box to house the door roll.



Extra drive through width of up to six inches - 150mm helps keep your wing mirrors unmarked!

### Solid colour powdercoat


Low maintenance powdercoat finishes for AlluGuard77 garage doors are available in these stylish colours:



White RAL 9016 (Smooth)




Silver RAL 9006 (Smooth)



Slate Grey RAL 7015 (Smooth)



Cream RAL 9001 (Smooth)



Graphite Metallic (Smooth)



Blue RAL 5011 (Smooth)




Home Cream RAL 1015 (Smooth)




Pale Grey RAL 7038 (Smooth)



Duck Egg Blue BS 18 E 50 (Smooth)



Black RAL 9011 (Smooth)



Mocca Brown RAL 8019 (Smooth)



Chartwell Green BS 14 C 35 (Smooth)



Anthracite Grey RAL 7016 (Smooth)



Burgundy RAL 3004 (Smooth)



Racing Green RAL 6009 (Smooth)



Moss Green RAL 6005 (Smooth)

### Wood effect powdercoat

Low maintenance wood effect powdercoat finishes for AlluGuard77 door are available in the following wood shades:



Rosewood Painted (Smooth)



Golden Oak Painted (Smooth)



Irish Oak Painted (Smooth)



Walnut Painted (Smooth)

### Solid colour laminate


Low maintenance solid colour laminate finishes for AlluGuard77 door are available in the following colours:



Slate Grey RAL 7015 (Textured)




Crystal White RAL 9003 (Textured)



Steel Blue RAL 5011 (Textured)



Black (Textured)



Anthracite Grey RAL 7016 (Textured)



Dark Red RAL 3011 (Textured)

### Wood effect laminate

Low maintenance wood effect laminate finishes for AlluGuard77 door are available in the following wood shades:



Mahogany (Textured)



Golden Oak (Textured)



Rosewood (Textured)



Light Oak (Textured)

See page 18 for additional special order laminate finishes

## Notes on colours

Coloured guide rails are supplied as standard, however, they may not perfectly match the lath colour. The manufacturing process for the lath profile results in a textured finish, whilst all other coloured items (guides, bottom laths, lock laths, optional fascias and vision panels) are supplied in a satin finish, so cannot be guaranteed to match exactly. Over time some scuffing / pressure marks may occur on front and rear surfaces of doors as a result of their normal operation.

Colours shown are for guide purposes only and are limited by the printing process. Please ask to see a colour sample to confirm your choice.

# AlluGuard 77

I want my garage door to match my windows!

## Colours

AlluGuard's wide choice of finishes ensure your new garage door not only looks good for years to come, but also complement the look of your home. Don't see the colour you want? Explore our extended range of laminate finishes and custom colours on pages 18-19.



### The door curtain

The door curtain is available in the solid powdercoat and laminate colours and wood effect powdercoat and wood effect laminate colours shown left.

The rear of the door slats is finished to match the front on solid colour powdercoated and wood effect powdercoated doors. Wood effect laminates and solid colour laminates have a White or Mocca Brown rear. White is standard for solid colours, Mocca Brown for wood effects.



### The door guides

The guides colour match\* the door curtain colour as standard on all solid powdercoat colours. Wood effect powdercoat and laminate doors are supplied with White, Mocca Brown or Black guides.

Rosewood, Golden Oak, Irish Oak and Walnut powdercoat wood effects are also available with a complementing powdercoat finish as an optional extra.

\*See notes on colour at the top of the page



### The door roll box

Doors are supplied without a roll box as standard but are available as an option with a half or full roll box. These are finished to match the door guides for all solid powdercoat colours\*\*. Wood effect powdercoat/laminates and solid laminate colours are finished in White, Mocca Brown or Black\*\*.

\*\*Rosewood, Golden Oak, Irish Oak and Walnut powdercoat wood effects and Graphite Metallic are also available finished with a complementing powdercoat wood effect/Metallic finish as an optional extra.



The standard configuration is with no roll box.



The half box option helps prevent debris dropping onto the door roll



The full box option encloses the door roll for a very neat installation.

Requiring only 205mm of headroom, the AlluGuard55 has the benefits of the larger AlluGuard77, but in a very compact space.

## Standard Stock Colour Range



White RAL 9016 (Smooth)



Chartwell Green BS 14 C 35 (Smooth)




Home Cream RAL 1015 (Smooth)



Silver Metallic RAL 9006 (Smooth)



Black RAL 9005 (Smooth)



Anthracite Grey RAL 7016 (Smooth)



Burgundy RAL 3004 (Smooth)



Pale Grey RAL 7038 (Smooth)



Blue RAL 5011 (Smooth)



Racing Green RAL 6009 (Smooth)



Mocca Brown RAL 8019 (Smooth)

## Wood effect laminate

Low maintenance wood effect laminate finishes for AlluGuard55 door are available in the following wood shades:



Rosewood (Textured)




Golden Oak (Textured)

## Solid colour laminate

Low maintenance solid colour laminate finishes for AlluGuard55 door are available in the following colours:



Black (Textured)



Anthracite Grey RAL 7016 (Textured)



Crystal White RAL 9003 (Textured)



Dark Red RAL 3011 (Textured)



Steel Blue RAL 5011 (Textured)



The AlluGuard 55 fits in smaller spaces! (Photo courtesy of Pennine Garage Doors)

See page 18 for additional special order laminate finishes

## Notes on colours

Coloured guide rails are supplied as standard, however, they may not perfectly match the lath colour. The manufacturing process for the lath profile results in a textured finish, whilst all other coloured items (guides, bottom laths, lock laths, optional fascias and vision panels) are supplied in a satin finish, so cannot be guaranteed to match exactly. Over time some scuffing / pressure marks may occur on front and rear surfaces of doors as a result of their normal operation.

Colours shown are for guide purposes only and are limited by the printing process. Please ask to see a colour sample to confirm your choice.

# AlluGuard 55

I'm smaller  
but perfectly  
formed!  
AlluGuard 55

## Colours

AlluGuard's wide choice of finishes ensure your new garage door not only looks good for years to come, but also complement the look of your home. Don't see the colour you want? Explore our extended range of laminate finishes and custom colours on pages 18-19.



### The door curtain

The door curtain is available in the solid powdercoat and laminate colours and wood effect laminate colours shown left.

The rear of the door slats is finished to match the front on solid colour powdercoated doors. Wood effect laminates and solid colour laminates have a White or Mocca Brown rear. White is standard for solid colours, Mocca Brown for wood effects.



### The door guides

The guides colour match\* the door curtain colour as standard on all solid powdercoat colours. Wood effect Laminate and solid colour laminate doors are supplied with White, Mocca Brown or Black guides.

\*See notes on colour at the top of the page



### The door roll box

Doors are supplied with a half roll box as standard but are available as an option with a full roll box. These are finished to match the door guides for all solid powdercoat colours. Wood effect laminates and solid laminate colours are finished in White, Mocca Brown or Black.



The half box is standard.



The full box option encloses the door roll for a very neat installation.

### Special laminate finishes

In addition to our standard colour ranges, you can also order your door in special laminate finishes shown below. The laminate colours are selected from the Renolit Exofol high-performance films range for exterior applications. Renolit Exofol is the market leader, and its multi-layered structure protects and decorates many architectural surfaces such as windows and are ideal for garage doors. Finishes have a 10-year warranty against perforation of the substrate.

Doors with special laminates are available with the rear face of the door finished in White or Brown. White is standard for all solid colours, brown for wood effects. The guides and box are finished in White, Brown or Black.




White RAL 9010 (Textured)



Moss Green RAL 6005 (Textured)




Wine Red RAL 3005 (Textured)




Cream White RAL 9001 (Textured)




Dark Green RAL 6009 (Textured)




Brilliant Blue RAL 5007 (Textured)



Ice Cream (Textured)




Chartwell Green BS 14 C 35 (Textured)



Agate Grey RAL 7038 (Textured)



Hazy Grey RAL 7001 (Textured)




Basalt Grey RAL 7012 (Textured)




Basalt Grey RAL 7012 (Smooth)




Signal Grey RAL 7004 (Smooth)




Slate Grey RAL 7015 (Textured)




Anthracite Grey RAL 7016 (Smooth)



Quartz Grey RAL 7039 (Textured)



\*Slate Grey Finesse RAL 7015 (Textured)



Dark Oak (Textured)



\*Light Oak (Textured)



Sherwood (Textured)



Irish Oak (Textured)



Mahogany (Textured)



Walnut (Textured)



Black Cherry (Textured)



Anteak (Textured)

\* Denotes special order for AlluGuard55 only as AlluGuard77 has these laminates available from stock.


Want something special? Pick from the rainbow!

# Custom Colours



Matched to Farrow & Ball, Stiffkey Blue

Matched to Farrow & Ball, Treron



Matched to Dulux Trade Violet Verona 4



Matched to Little Greene Mister David



## Custom Colour finishes

In addition to our standard colours and special laminate ranges, you can also order your door in a custom colour.

Perhaps you have a RAL colour, a Farrow & Ball colour, a Little Greene shade or a Dulux Trade colour and you want your garage door be similar... No problem - our custom painting service is what you need!

We can custom paint your door to match. The wet-spray process uses paint mixed to match your chosen shade and gives a finish that is warranted for five years with suitable care and cleaning.

Custom coloured doors are available with guides and box finished in White, Brown or Black. As an option, the front face of the guides and the front face of the box are available painted to match the door curtain colour with the inner surfaces in White, Brown, or Black. The rear face of the door is available in White or Brown.

Fill your world with colour!



I want to open my door from the security of my car



# Remote Control



## Effortless performance

Remote control is a standard feature that makes using your door effortless and secure. No need to get out of your car on a wet and windy night!

With an array of high performance and reliable motors to choose from, garage door access has never been so easy and so affordable.

## Controls to suit you

With a range of controls available, choosing the ideal way to operate your doors couldn't be easier. Remote control, wall switch, keypad...

See page 28 for general use controls & accessories.

## All AlluGuard garage doors come with:

- Wireless or Wired Control Unit
- 2 Keyfob transmitters
- Electrical Wireless Safety Edge (standard) / Wired (option)

## Available from:



## Safety Edge

Peace of mind protection for you and your family. The doors' bottom edge rubber seal incorporates an electrical sensor along its length to detect obstructions and instantly stop and reverse the door a short distance when closing.

Wireless and wired versions are available certified and marked as safe to Directive EN 13241-1.



Control your  
door and  
accessories the  
way you want!



# The Control Units

AlluGuard offers a selection of control units to control the functions of your door. Each type has different functions and your Garage Door Specialist will be able to advise on which control unit suits your needs.



## Somfy Control Unit

The Rollixo RTS wireless or wired control unit is the doors "brain", controlling operation and safety. It is supplied with AlluGuard's unique wireless electrical safety edge for complete safety protection of the door's bottom edge (a wired version is available as an option).

It has an integrated courtesy light, buttons to operate the door and includes an alarm as standard. It has a wide range of Somfy accessories and integrates with Somfy's clever Smart Home solution "Tahoma".

## Somfy Remote Control



Compact, stylish and keyfob friendly, the Somfy 4-channel remote controls your doors and can also be programmed to control gates, lights and more in one stylish handset. Two are supplied as standard.

[See page 29 for all options](#)



## Sommer Control Unit

The Sommer Vision+ offers safe and convenient roller garage door control. The unit is supplied with a wired electrical safety edge.

The control unit includes an alarm buzzer as standard. Sommer has a handy range of accessories to make using your garage door more convenient and easy including the Telecopy Courier for a clever solution to accepting home deliveries whilst you're out.

## Sommer Remote Control



Elegant and sleek, the Pearl Twin 2-channel transmitter has twin buttons that can open and close your garage door and turn your control unit light on and off. Two are supplied as standard.

[See page 32 for all options](#)



## Teleco Control Unit

The Teleco Control unit is a proven performer from specialist automation experts Teleco. The versatile control is supplied with a wireless electric safety edges (wired available as an option).

Built for reliability, the control unit includes an automatic courtesy light with adjustable interval. The door can also be operated from the simple up, down and stop controls on the front of the unit.

## Teleco Remote Control



Reliable, convenient and keyfob friendly, Teleco offer wireless control via a handy 2-channel remote to control your door and turn on/off the control unit's built-in courtesy light without opening the door. Two are supplied as standard.

[See page 33 for all options](#)

# AlluGuard 77



**1 Power fail override**  
If the power fails, a simple hand crank is used to operate the door.



**2 Through wall or through guide external power fail override**  
An optional external crank with lockable access is also available should there be no other access to the garage.



**3 Keeps out the weather**  
Weather resistance is excellent with a rubber compression seal (not watertight) to the bottom of the door and a brush strip within the guides.

Secured by Design



Police Preferred Specification

AlluGuard 77

# Features at a glance

AlluGuard takes the concept of the roller garage door to a new level. It out-performs the ordinary garage door for ease of use, insulation, finishes, safety and security and all doors are manufactured

under strict and controlled guidelines. More and more homes are benefiting from an AlluGuard roller garage door - take a look at the features that make all the difference:



## Smooth & quiet

The barrel rings help reduce operating noise.



## Safe

The safety edge stops and reverses the travel of the door on contact with an obstruction. The unique electronic safe edge (ESE) system removes any doubt over the door not stopping and reversing. It doesn't require hard stops as optical safe edge (OSE) systems do. The ESE rubber edge continues from the door curtain and into the guides without the gaps OSE systems leave.



## Powerful

Concealed within the barrel of the door is a powerful and quiet motor that drives the door and holds the curtain locked when closed.



## Secure

Security is excellent with strong locking straps that prevent forced lifting of the door.



## Complete control

The wall-mounted control unit has a courtesy light to guide your way and push button control for the door. The alarm (optional on selected control options - see pages 29-33) is also housed in the control unit that sounds on an attempt to force up the door from the bottom slat.



## Safety brake

A safety brake is fitted to every AlluGuard 77 door that will prevent the door from dropping in the unlikely event of a motor failure. It includes a safety feature that automatically cuts power to the motor when the brake activates, protecting the door mechanism.

# AlluGuard 55



Wireless and Wired (bottom sensor shown right) control units available



### 1 Power fail override

If the power fails, a simple hand crank is used to operate the door.



### 2 Through wall or through guide external power fail override

An optional external crank with lockable access is also available should there be no other access to the garage.



### 3 Keeps out the weather

Weather resistance is excellent with a rubber compression seal (not watertight) to the bottom of the door and a brush strip within the guides.

I need just  
205mm of space  
above the  
opening to fit!

 AlluGuard 55

# Features at a glance


The AlluGuard 55 is small but perfectly formed. It doesn't cover the size range of the AlluGuard 77, being limited to single doors up to 3000mm wide

and 2225mm high, but only requires 205mm of headroom to install. Its compact size makes it the perfect solution when space is limited.



#### Smooth & quiet

The lock straps create a smooth running surface to help reduce operating noise.



#### Safe

The safety edge stops and reverses the travel of the door on contact with an obstruction. The unique electronic safe edge (ESE) system removes any doubt over the door not stopping and reversing. It doesn't require hard stops as optical safe edge (OSE) systems do. The ESE rubber edge continues from the door curtain and into the guides without the gaps OSE systems leave.



#### Powerful

Concealed within the barrel of the door is a powerful and quiet motor that drives the door and holds the curtain locked when closed.



#### Secure

Security is excellent with strong locking straps that prevent forced lifting of the door.



#### Complete control

The wall-mounted control unit has a courtesy light to guide your way and push button control for the door. The alarm (optional on selected control options - see pages 29-33) is also housed in the control unit that sounds on an attempt to force up the door from the bottom slat.



#### Fur lined

The front edge of the door box has a line of synthetic fur to increase weather protection and help reduce draughts.

# Door options & general automation accessories



## Curtain roll box

Half and full boxes are available to suit AlluGuard77 doors. Either option will take up 300mm headroom on top of the guide height.

AlluGuard55 doors are supplied with half box as standard. Both half or full box has 205mm headroom on top of the guide height.



## Vented laths

Vented laths are available in powder coated colours only.



## Lockable Override Cover

A lockable cover to protect the manual override access point on externally fitted doors.

## Manual Exterior Release

For use in emergencies or in the event of power failure. The manual release allows the door to be opened manually from outside the garage - essential if the garage has no other entry point. The Override can be fitted through the wall, or the door's guide if the door is fitted within the opening.

### Through the wall



### Through the guide



## Vision slats

Polycarbonate clear glazing is available for AlluGuard77 doors on a proportion of the door curtain to allow natural light into the garage (not available on AlluGuard55).

Woodgrain finish doors are only available with brown vision laths.



## Battery Backup

Allows your door to operate for 6-10 operations over a 12 hour period during a power-cut. Two sizes available. Not compatible with Somfy Rollixio Controls.

# Somfy

Making operation  
simple and effortless




Integrated  
alarm as  
standard.

## Automation Accessories

Automated as standard, the features of the AlluGuard77 and AlluGuard55 garage door systems are already at a luxury level. To further enhance day-to-day use, this range of control Somfy options provides extra flexibility.



Wireless



Wired

### Wireless or Wired

Somfy Wireless (standard) and Wired safety edge control units are available.



### Keygo Remote

Two Keygo 4 RTS remote controls are supplied with every door as standard. Extra remote controls can be added and are easy to programme.



### Wired Key Switch

This externally wall mounted key switch allows operation without the use of a hand transmitter and is an alternative to our keypads.



### Wireless Digital Keypad

This externally wall mounted keypad will accept a 4 to 13 digital code to open and close your garage door without the hand transmitter.



### Rocker Switch

This wall mounted wired rocker switch can be installed inside the garage or home for simple operation of your garage door.



### Smoove Wall Switch

The Smoove wall switch, available in white or black and single and double fittings, add touch sensitive controls to your new door system.



### Standard Receiver RTS

The waterproof standard receiver allows keyfobs, keypads and key switches to effortlessly control 3rd party products including gates. Can be externally mounted.



### Radio Wall Switch

This wall mounted 3-channel wireless switch can be installed inside the garage or home for easy operation of your garage door.

Smart Home Accessories further extend possibilities...

# Somfy Smart Living

## Smart Living starts with AlluGuard



### Make the most of your home

Motorising your garage door, blinds, awnings or window shutters is the first step to making life at home more comfortable and convenient. Adding a touch of connectivity, opens up a world of possibilities.

Connected solutions from Somfy helps you make the most of your home. TaHoma switch frees you from repetitive, mundane tasks and adds new features to your home.

Enrich your daily experience, freeing up time to focus on what you love.

### Customise and control with ease

TaHoma Switch is a Smart Control with 2 buttons to centralise how you use your smart home devices. Customise each button to control your home with personalised scenes that fit your daily routines.

For example, your going out scene would close the window shutters and turn off the lights and your coming home scene would turn on the lights and open the window shutters. It's that easy!

Control your Tahoma Switch with the touch of a button, remotely with the Tahoma App or via a voice assistant\*.

\*Requires a voice assistant. See facing page for compatible services.

### Greater peace of mind

Easily connect Somfy accessories, such as a motion detector. If motion is detected, an alert will appear on your phone, and you can check things by viewing through your Somfy security cameras. Total protection for your home.

Take it a step further with presence simulation. Going away on vacation? Keep your home safe by creating the illusion that you're still at home. Create a special scene that turns lights on and off and opens and closes your window shutters or blinds at set times.

HOME MOTION by

**somfy**

#### Compatible products:



Rolling garagedoor  
Rollixxo RTS



Gate openers RTS



Light RTS



Indoor plug RTS

# Discover the possibilities of Somfy Smart Home!




Compatible equipment depending on your home configuration

<p><b>Home Delivery:</b></p>  <p>TaHoma Switch</p>  <p>Indoor security camera</p>	<p><b>General Use:</b></p>  <p>Scenario player*</p>  <p>Remote controlled socket</p>
<p><b>Security:</b></p>  <p>Opening detector*</p>  <p>Indoor security camera</p>  <p>Outdoor security camera <small>(also in Anthracite)</small></p>  <p>Indoor movement detector*</p>	
<p><b>Sensors:</b></p>  <p>Smoke detector*</p>  <p>Temperature sensor*</p>  <p>Sun sensor*</p>	<p><b>Lighting:</b></p>  <p>Lighting receiver indoor ON/OFF</p>  <p>Lighting receiver outdoor ON/OFF</p>

\*BATTERY OPERATED - NO HARD WIRING REQUIRED!

## Compatible Services

Availability may differ per country. Compatibility list and more details on [somfy.co.uk](http://somfy.co.uk)



You choose how to control your smart home: by smart-phone, tablet or computer.

# Sommer

## Automation Accessories



Integrated alarm as standard. The alarm can also be set to sound during door closing to alert those nearby to the doors' motion.



Wired



### Pearl 2-Channel

Two convenient and simple to use remote controls are supplied as standard with every door. The Pearl has two large button areas for easy garage door automation.



### Pearl 4-Channel

Include your gate for easy access in and out of your property with a 4-channel remote control. Simple and easy to set up using reliable and safe technology.



### Telecody Courier

Open your garage door with an access code or open by pressing the red button. When the red button is pressed, the door will open a short distance to allow parcels to be slid underneath your garage door before closing again, perfect for home deliveries when you're out.



### ENTRAsys+ Fingerprint Scanner

Open your garage door remote-free, based on biometric finger print identification.



### SOMtouch

Available in white or anthracite grey, SOMtouch controls not only allow you to open and close your door from one easy switch, but you can also query door position/receiver status. Wireless for easy installation.



### Positioning Laser

The Sommer laser is perfect for providing assistance when positioning a vehicle in the garage. The laser is active during the opening process and for the period of the courtesy light on-time.



### SOM Web

The SOM web system enables you to control your garage door via a smartphone app or web browser and can also link to a camera for remote viewing of your garage.

# Teleco

## Automation Accessories



### Alarm (Optional)

The loud alarm sounds when the alarm sensor recognises a break-in attempt.



Wireless



Wired

### Wireless or Wired

Teleco Wireless (standard) and Wired safety edge control units are available.



### 2-Channel Hand Transmitter

Every door comes with two Teleco 2-channel wireless transmitters as standard to allow for easy and quick access.



### 4-Channel Wall Station

This wall mounted wireless switch can be installed inside the garage or home for easy operation of your garage door.



### 4-Channel Hand Transmitter

Include opening and closing your gate on your wireless remote control with a Teleco 4-channel transmitter.



### 4-Channel Bi-Directional Wall Station

Adds the ability to check whether your door is open or closed. The switch also confirms that its signal has been received by the door control unit.




### Numerical Keypad


For simple pin code access to your garage that you can share with family, add a Teleco numerical keypad.

# Dimensions

Height measurement guide




Width measurement guide




205/300

Box end details




Full and half box (optional extra)

Guide specifications



Fixing options



## Also from AlluGuard...



### Insulated Sectional Garage Doors

#### Exceptional performance...

Insulated sectional garage doors provide exceptional performance when it comes to insulation and draught reduction.

They're not short on good looks either with a stunning choice of styles finishes and window options!

Just ask for a copy of the brochure or view online at [www.alluguard.co.uk](http://www.alluguard.co.uk).

#### Rechargeable, simple...

Portal Powered Blinds from AlluGuard is a simple... ..but brilliant concept. Every blind includes a rechargeable Lithium Ion battery for wire-free powered operation. Remote control, smart home control... ..and you can also control with simple voice commands using Amazon Alexa.

Just ask for a copy of the brochure or view online at [www.alluguard.co.uk](http://www.alluguard.co.uk).



### Portal Powered Blinds

# Safety - CE marking

It is against the law to install a power operated garage door in the UK without complying with The Machinery Directive.

To comply with the Machinery Directive both the door and the motor and controller used in the installation must have a Declaration of Incorporation from the manufacturer.

On completion of the installation the installer must provide a Declaration of Conformity and apply a CE mark giving details of the installation to the door / motor and controller combination, which is now classed as a machine.


The installer must issue to the customer a Declaration of Conformity, maintenance and operation instructions on the completion of the installation.

The installer must hold copies of both the Declaration of Incorporation and the Declaration of Conformity on a technical file for inspection by the relevant authorities.

If any of the above requirements are not fulfilled the Installation is illegal and may be unsafe.

Please ensure for your own safety and peace-of-mind that whoever installs your electric motor and controller is both willing and able to fulfil these requirements; if they are not – do not use them.

Choose a member of the DHF Garage Door Installer Group who CAN and WILL install your motor and controller safely and legally.



## Peace-of-Mind Warranties

(a) AlluGuard roller garage doors are guaranteed against any form of manufacturing defect for a period of 2 years from the date of delivery to the installing company

(b) AlluGuard tubular motors are guaranteed against any form of manufacturing defect for a period of 5 years. Other electrical and mechanical elements within the control system are guaranteed for a period of 5 years.

(c) AlluGuard roller garage doors exterior finish is guaranteed to provide an effective weatherproof membrane that will resist perforation of the substrate from the weather side due to corrosion for a period of 5 years. Externally fitted reverse roll AlluGuard roller garage doors will resist perforation of the substrate from the weather side due to corrosion for a period of 2 years. Colour change or fade to the exterior surface will be limited and uniform during the guarantee period.

Guarantees are subject to conditions - please visit [www.alluguard.co.uk/warranty](http://www.alluguard.co.uk/warranty) for full details.



AlluGuard Limited  
Rotherham Road, Parkgate, Rotherham S62 6FP  
t: 01709 529 723  
f: 01709 524 577  
e: [customerservice@alluguard.co.uk](mailto:customerservice@alluguard.co.uk)  
w: [www.alluguard.co.uk](http://www.alluguard.co.uk)